

# Wine Cabinet Key Features

Designed with industrial standard cooling system performance and contemporary design for reliability and stylish decor



01. Fitted with anti-condensation double glazed Argon gas glass door with aluminium alloy frame
02. Fully extendable pull-out type wooden wine rack to keep bottle canted at proper angle to keep corks moist and display wine in a decent way \*
03. Diamond type wooden wine rack to maximise wine storage capacity
04. Bright low energy LED with on / off switch for excellent product display and easy customer selection
05. Excellent thermal efficiency, high density polyurethane insulation with Zero ODP (Ozone Depletion Potential) and Low GWP (Global Warming Potential)
06. Removable magnetic door gasket with air release points provides an excellent seal to prevent heat ingress
07. Dual-temp zone, upper part is +7 /+10°C for white wine and lower part is +12 / +16°C for red wine #
08. BC1W: 10Hmm levelling feet at front to ensure stability on an uneven floor and 15Hmm castors at rear
09. BC95W and BC200W: 10Hmm levelling feet to ensure stability on an uneven floor
10. Forced air refrigeration system ensures effective air circulation
11. Imported, durable and energy-efficient compressor
12. Condenser and evaporator with Hydrophilic aluminium fins provides high corrosion resistance properties
13. Accurate helium leak detection system ensures the quality of the entire refrigeration system
14. Automatic defrost ensures the evaporator working to its optimum performance
15. Automatically vaporises defrost water, drainage is not required
16. Designed and engineered to operate up to 32°C ambient
17. Environmental-friendly CFC-free refrigerant (R134a)
18. HACCP compliant

\* Not applicable for BC200W

# Applicable for BC95W-PR-DT only

Note: Products are NOT designed for outdoor application, please contact Williams team for any special requirement.

# Wine Cabinet

---

## Specification





- Black colour bond exterior and foodsafe 304 grade BA mirror stainless steel interior
  - Galvanised steel exterior back and base
  - Fitted with cylindrical lock
- 

## Options

1. 304 grade stainless steel exterior / back / base
2. Black colour bond exterior back
3. 220V / 60HZ / 1PH



# Wine Cabinet Product List

| BC1W-PR-U   | BC1W-DR-U   | BC95W-PR-DT   |
|---|---|---|
|    |    |   |
| BC95W-PR  | BC95W-DR  | BC200W-DR   |
|  |  |  |

# Wine Cabinet Technical Data

| Model  | BC1W-PR-U         | BC1W-DR-U | BC95W-PR-DT           | BC95W-PR | BC95W-DR   | BC200W-DR |
|--|-------------------|-----------|-----------------------|----------|------------|-----------|
| <b>Temp Range (°C)</b>   | +4 / +22          | +4 / +22  | +7 / +10<br>+12 / +16 | +4 / +22 | +4 / +22   | +4 / +22  |
| <b>External Dimension (mm)</b>   |                   |           |                       |          |            |           |
| Width  | 600               |           | 645                   |          | 1290       |           |
| Depth  | 530               |           | 635                   |          |            |           |
| Height   | 800               |           | 1770                  |          |            |           |
| <b>Internal Dimension (mm)</b>   |                   |           |                       |          |            |           |
| Width  | 530               |           | 545                   |          | 1190       |           |
| Depth  | 378               |           | 510                   |          |            |           |
| Height   | 650               |           | 1554                  |          |            |           |
| <b>Thickness of black colour bond and 304 grade BA mirror stainless steel (mm)</b> |                   |           |                       |          |            |           |
| Exterior (black colour bond)   | 0.6               |           |                       |          |            |           |
| Interior (BA mirror stainless steel)   | 0.7               |           |                       |          |            |           |
| <b>Opening Depth</b>   | 1073              |           |                       | 1254     |            |           |
| <b>Capacity (cu.ft / litres)</b>   | 4.5 / 130         |           | 14.5 / 412            |          | 31.7 / 899 |           |
| <b>Capacity (bottles @ 750ml)</b>  | 18                | 20        | 54                    | 70       | 140        |           |
| <b>Power Supply</b>  | 220V / 50HZ / 1PH |           |                       |          |            |           |
|  | 13 amp plug       |           |                       |          |            |           |
| <b>Power Input - Running (amps) *</b>  |                   |           | 2                     |          | 2.28       |           |
| <b>Rating Power (watts) *</b>  |                   |           | 440                   |          | 502        |           |
| <b>Compressor (HP)</b>   |                   |           | 1/5                   |          | 1/4        |           |
| <b>Heat Rejection (watts) (Evaporating at -10°C in 32°C ambient)</b>               |                   |           | 287                   |          | 485        |           |
| <b>Refrigerant</b>   | R134a             |           |                       |          |            |           |
| <b>Standard fittings</b>   |                   |           |                       |          |            |           |
| Wooden Wine Rack   | 3                 | 1         | 9                     | 9        | 1          | 2         |

\* 20% increase for 60HZ power supply