

GIGA 5: Specifications

GIGA 5: Specifications

[Print Datasheet](#)

Specialities

Products	Ristretto 2 x Ristretto Espresso 2 x Espresso Coffee 2 x Coffee Cappuccino 2 x Cappuccino Caffè latte 2 x Caffè latte Macchiato 2 x Macchiato Latte macchiato 2 x Latte macchiato Portion of milk foam 2 x Portion of milk foam Portion of milk 2 x Portion of milk Hot water
Number of speciality coffees	19
Specific advantages	
Active bean monitoring	✓
Automatic switchover from milk to milk foam	✓
JURA standards	
Pulse Extraction Process (P.E.P.®)	✓
One-Touch function	✓
Variable brewing unit	5 - 16 g
Grinder	2 electronically adjustable ceramic disc grinders
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2

Milk system / interchangeable milk spout	HP2
Powder chute for ground coffee	✓
Operating and programming standards	
Compatible with J.O.E.®	✓
Rotary Switch	✓
Display	Colour display
Programmable and individually adjustable amount of water	✓
Programmable and individually adjustable coffee strength (Levels)	5
Programmable brewing temperature (Levels)	3
Programmable temperature of hot water (Levels)	3
Hygiene standards	
Integrated rinsing, cleaning and descaling programme	✓
Monitored drip tray	✓
JURA hygiene: TÜV-certified	✓
Energy standards	
Energy Save Mode (E.S.M.®)	✓
Zero-Energy Switch or power switch	✓
Programmable switch-off time	✓
Programmable switch-on/switch-off time	✓
Design and materials	
Alu Frame Design© 3 mm	✓
Amber / white cup illumination	✓
In figures	
Height-adjustable dual spout	70 159
Height-adjustable hot water spout	69 165
Water tank capacity	2.6

Bean container holding capacity	280
Coffee grounds container (approx. servings)	20
Cable length (approx.)	1.2
Voltage / Power	220 - 240 V ~ / 2300 W
Width-adjustable dual spout	20 50
Ampacity	10
Stand-by power	0.5
Weight	18
Article Number	13717SA
Product code	2011
Width	32
Height	41.5
Depth	49.7