



trueheat
GAS COOKING EQUIPMENT

RC SERIES

**BECAUSE ALL RESTAURANT & CAFÉ KITCHENS
DESERVE CULINARY MUSCLE AT AN AFFORDABLE PRICE**

COMCATER
- foodservice equipment



For the past 40 years, Comcater has been dedicated to delivering quality and innovative commercial kitchen equipment to the Australian Foodservice industry. Through foresight and experience, Comcater has earned the reputation as an industry leader.

We understand the needs of Australian Restaurant and Café kitchens and have designed and engineered a new accessible Restaurant and Café (RC) cooking series of gas equipment that delivers performance at an affordable price.

BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE



PERFORMANCE & DESIGN

AUSTRALIAN OWNED & DESIGNED*

*Manufactured in China

*Start-up check includes checking installation, setting gas supply, adjusting gas settings for each pilot/burner/oven, 50 km within registered service agent



FS 605034

..AT AN AFFORDABLE PRICE

**MORE FEATURES
MORE OPTIONS
ENDLESS COMBINATIONS...**

 **Removable sides to accommodate large plates**

 **Adjustable shelf height**


 **Stylish range matched rail**

 **Pilot lights included as standard in open burners**

 **Front plate rail flush on trivets to facilitate ease of movement**


 **24MJ open burners**

 **Heavy duty oven door with our most powerful ever cast iron oven burner**

 **Durable stylish "matt finish" cast iron trivets**



BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE



Engineered high performance, even heating infrared barbecue in 400mm, 600mm and 900mm widths

Range match 400mm wide 18 litre gas open pot design fryer with premium fast action thermostat

Infill benches available in 300mm, 400mm and 600mm widths

35 litre gas pasta cooker with 6 portion baskets included as standard

800mm depth fits through any standard doorway

Automatic skimming with overflow drain

16mm premium grade griddle plate with insulated burner boxes

Burner, griddle combination available in 300mm, 600mm and 900mm widths

ACROSS ENTIRE RANGE:

- Piezo ignition standard on all enclosed burners
- Flame failure controls included as standard
- High performance quality SIT gas components
- Premium silk printed control dials
- Available in both Natural or LP gas

..AT AN AFFORDABLE PRICE

PERFORMANCE & DESIGN



AUSTRALIAN OWNED & DESIGNED*

OVEN RANGE

Durability, power and functionality combine to deliver an oven range that is designed to withstand the busiest kitchens.







- 24MJ Open burners with individual pilots and flame failure included as standard
- Durable, lightweight and flush cast iron trivets allow for easy moving of pots across cooking surface and deliver optimum burner efficiency
- 16mm thick Griddle with powerful cast iron H burner and premium grade insulation to enhance thermal efficiency
- Burner/Griddle combinations available in 300mm, 600mm and 900mm widths for greater flexibility
- Newly engineered sturdy pull-down door and well insulated cavities allow for quick heat up time and reduced heat loss
- Optional accessories include castors (with and without brakes) and gas hoses



RCR9-6

BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE

OVEN RANGE MODELS

600mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCR6-4	4 Open top burners	600 x 830 x 1135
	RCR6-2-3G	2 Open top burners, 300mm Griddle [^]	600 x 830 x 1135
	RCR6-6G	600mm Griddle	600 x 830 x 1135
900mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCR9-6	6 Open top burners	900 x 830 x 1135
	RCR9-4-3G	4 Open top burners, 300mm Griddle [^]	900 x 830 x 1135
	RCR9-2-6G	2 Open top burners, 600mm Griddle [^]	900 x 830 x 1135
	RCR9-9G	900mm Griddle	900 x 830 x 1135

[^]Griddle is standard to the right. Can be configured to the left.

..AT AN AFFORDABLE PRICE

**PERFORMANCE
& DESIGN**



AUSTRALIAN OWNED & DESIGNED*



OPEN BURNER & GRIDDLE TOPS

Versatility, clean design and functionality combine to provide a cook top range that delivers performance yet is affordable.










- 24MJ Open burners with individual pilots and flame failure included as standard
- Durable, lightweight and flush cast iron trivets allow for easy moving pots and deliver optimum burner efficiency
- 16mm thick Griddle with powerful cast iron H burner and premium grade insulation to enhance thermal efficiency
- Burner/Griddle combinations available in 300mm, 600mm and 900mm widths for greater flexibility
- Suitable for counter top or on stand installations
- Optional accessories include castors with and without brakes for all stands (600mm and 900mm) and gas hoses



RCT9-6 shown with RCSTD9 stand

BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE

OPEN BURNER & GRIDDLE TOP MODELS

300mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCT3-2	2 Open top burners	300 x 803 x 455
	RCT3-3G	300mm Griddle	300 x 803 x 455
	RCSTD3	300mm Stand complete with shelf	300 x 683 x 680
600mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCT6-4	4 Open top burners	600 x 803 x 455
	RCT6-2-3G	2 Open top burners, 300mm Griddle [^]	600 x 803 x 455
	RCT6-6G	600mm Griddle	600 x 803 x 455
	RCSTD6	600mm Stand complete with shelf	600 x 683 x 680
900mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCT9-6	6 Open top burners	900 x 803 x 455
	RCT9-4-3G	4 Open top burners, 300mm Griddle [^]	900 x 803 x 455
	RCT9-2-6G	2 Open top burners, 600mm Griddle [^]	900 x 803 x 455
	RCT9-9G	900mm Griddle	900 x 803 x 455
	RCSTD9	900mm Stand complete with shelf	900 x 683 x 680

[^]Griddle is standard to the right. Can be configured to the left.



..AT AN AFFORDABLE PRICE

**PERFORMANCE
& DESIGN**



AUSTRALIAN OWNED & DESIGNED*

INFRARED BARBECUE

Our team of professionals have designed and engineered the ultimate barbecue by incorporating premium infrared technology.




- Fully heated in 20 minutes
- Accelerated or enhanced cooking compared to radiant barbecue
- Provides even distributed heat around the perimeter of the barbecue with minimal temperature loss
- Durable cast iron burners and high grade stainless steel hoods
- Available in 400mm, 600mm and 900mm widths
- Piezo ignition
- Suitable for counter top or on stand installations
- Optional accessories include castors with and without brakes for all stands and gas hoses



RCB4 shown with RCSTD4 stand

BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE

INFRARED BARBECUE MODELS

400mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCB4	400mm Infrared gas barbecue	400 x 803 x 455
	RCSTD4	400mm Stand complete with shelf	400 x 683 x 680
600mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCB6	600mm Infrared gas barbecue	600 x 803 x 455
	RCSTD6	600mm Stand complete with shelf	600 x 683 x 680
900mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCB9	900mm Infrared gas barbecue	900 x 803 x 455
	RCSTD9	900mm Stand complete with shelf	900 x 683 x 680



..AT AN AFFORDABLE PRICE

**PERFORMANCE
& DESIGN**




AUSTRALIAN OWNED & DESIGNED*

OPEN POT FRYER

- High grade stainless steel open pot tank
- Premium fast action thermostat
- Easy to clean
- 18 litre capacity
- Piezo ignition
- Range matches to Trueheat RC Series (including height)
- Gas connection under unit
- Includes standard accessories such as two baskets, cover, clean out rod and wire basket support grid
- 3 year parts warranty included on frypot
- Optional accessories including joining cap, splash shield, stainless steel fish plate and castors with and without brakes are available



400mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCF4	400mm Open pot deep fryer	400 x 803 x 1235

BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE

PASTA COOKER

- High grade 316 grade stainless steel pot
- 35 litre capacity
- Cast iron H burner
- No electrical power requirement due to milli-volt control
- Simple tap adjustment with range matching Trueheat control knob to fill or trickle water
- 6 portion baskets included as standard
- Convert into noodle cooker with an optional accessory
- Piezo ignition
- Automatic skimming with overflow drain
- Optional accessories include bulk pasta basket and castors with and without brakes



400mm	Product Code	Description	Dimensions: (WxDxH) mm
	RCP4	35L Pasta cooker	400 x 803 x 1135

..AT AN AFFORDABLE PRICE

PERFORMANCE & DESIGN



AUSTRALIAN OWNED & DESIGNED*



SALAMANDER

A heavy duty salamander complete with adjustable height cooking shelf. The powerful high speed gas burners radiate intense heat, which seal in the natural flavours and leave a grilled appearance on steaks, chicken, seafood and vegetables.



S86

- 100% Flame failure controls included as standard
- Stainless steel front, sides and top
- Removable sides accommodating oversized dishes and adjustable cooking shelf
- Includes wall mounting brackets
- 900mm wide range match stainless steel stand with bench available
- Piezo ignition

	Product Code	Description	Dimensions: (WxDxH) mm
	S86	Gas salamander broiler with brackets	515 x 860 x 440
	RCS21004	Stainless steel stand with bench and shelf with adjustable feet to suit salamander	900 x 803 x 1760

BECAUSE ALL RESTAURANT & CAFÉ KITCHENS DESERVE CULINARY MUSCLE




INFILL BENCHES

Sturdy range matched infill benches with stand are available in 300mm, 400mm and 600mm widths.

- Legs and feet can be removed to allow infill benches to be suspended between units on either side (hardware not included)



RCSPR3

	Product Code	Description	Dimensions: (WxDxH) mm
	RCSPR3	300mm Infill bench	300 x 803 x 1125
	RCSPR4	400mm Infill bench	400 x 803 x 1125
	RCSPR6	600mm Infill bench	600 x 803 x 1125



..AT AN AFFORDABLE PRICE

**PERFORMANCE
& DESIGN**



AUSTRALIAN OWNED & DESIGNED*



NATIONAL HEAD OFFICE

156 Swann Drive,
Derrimut, VIC 3026
Phone: 03 8369 4600
Fax: 03 8369 4699
Email: sales@comcater.com.au

EQUIPMENT SALES

Phone: 1800 035 327
Fax: 1800 808 954

VIC/TAS SALES SHOWROOM & DEMONSTRATION KITCHEN

96-100 Tope Street,
South Melbourne, VIC 3205
Phone: 03 8699 1200
Fax: 03 8699 1299
Email: sales@comcater.com.au

NSW/ACT SALES SHOWROOM & DEMONSTRATION KITCHEN

Unit 20/4 Avenue Of The Americas,
Newington, NSW 2127
Phone: 02 8775 9500
Fax: 02 9648 4762
Email: nswsales@comcater.com.au

QLD/NT SALES SHOWROOM & DEMONSTRATION KITCHEN

1/62 Borthwick Avenue,
Murarrie, QLD 4172
Phone: 07 3900 2700
Fax: 07 3399 5311
Email: qldsales@comcater.com.au

WA SALES SHOWROOM & DEMONSTRATION KITCHEN

16/7 Abrams Street,
Balcatta, WA 6021
Phone: 08 6217 0700
Fax: 08 6217 0799
Email: wasales@comcater.com.au

SA SALES

Phone: 0409 340 015
Email: sasales@comcater.com.au

EQUIPMENT SERVICING (24/7)

Phone: 1800 810 161
Fax: 03 8369 4696
Email: service@comcater.com.au

EQUIPMENT SPARE PARTS

Phone: 1300 739 996
Fax: 03 8369 4696
Email: spares@comcater.com.au

TECHNICAL PHONE SUPPORT

Phone: 1300 309 262
Fax: 03 8369 4696
Email: techsupport@comcater.com.au

For your nearest dealer, call 1800 035 327
or visit www.comcater.com.au



FS 605034

