

Product Information

- Unit comes complete with baine marie, hotcupboard, and 2-Tier 304 stainless steel gantry. (Gantry welded to bench top)
- Wet or dry operation (temperature varies greatly when run dry, should not be left unattended for long periods of time)
- Temperature regulation via digital control, designed to hold product between 65°C - 90°C.
- Independent controlls for baine marie, hot cupboard and gantry
- 2-Tier overhead gantry fitted with Quartz IR heat lamps on the underside of the bottom shelf
- · Air insulated, double skinned tank for energy efficient heating
- · Hot cupboard equioped with a fan forced heating system
- Top mounted easy glide doors that do not sit in a bottom track, eliminates dirt trap. 1/IGN shelf configuration (1 shelf per door)
- Robust 304 grade stainless steel construction
- · Manual fill and manual empty, valve operated waste
- 1/1 GN sized well, fits pans up to 150mm deep (sold separately).
 Pan dividers not supplied
- Stainless steel work shelf mounted onto fold down brackets.
 This item is factory fitted and must be selected at time of order
- · 12-month parts and labour warranty



Specifications

 Model
 CH.BMH.I.GDB.4

 W x D x H (mm)
 1443 x 753 x 1650

Total Connected Load 5.7kW

Electrical Connection 3Ø+N+E 400VAC / 50Hz

(Onsite connection)

Water Connection G 1/2" BSP
Waste Connection 11/4" BSP

Optional Extras

Radius Well

Add **R** to code after the I CH.BMH.I**R**.GDB.4

Left Hand Controls

Add .L after the I or UR in the CH.BMH.I.L.GDB.4 product code to specify left CH.BMH.IR.L.GDB.4

hand controls

Stainless Work Shelf CA.WS.4

Note: Optional extras must be selected at time of order

Accessories

Large Pan Dividers CA.PXL (To suit large GN pans)

Cross Pan Dividers CA.PXS

Legend

A Electrical Connection

B Water Connection

(To suit smaller GN pans)

C Waste Connection









