



Strumenti per l'Espresso

etnica Display

AUTOMATIC
2 gr • 3 gr



with optional
nut wood kit,
Limited Edition sides and
electronic injection autosteamer

It is the top of the range and an evolution of the Etnica model.

Automatic, with covered groups and display, it represents the indivisible bond between modern and ancient, where the future is son of history and the most modern technology matches with sounds and past times.





AUTOMATIC

2 gr • 3 gr

TECHNICAL FEATURES	AUTOMATIC	
	2gr	3gr
Automatic espresso coffee and cappuccino machine with programmable portion control	●	●
Thermosiphonic system	●	●
E 61 brewing groups	●	●
Frame of pure polished and satined stainless steel AISI 304. Finishing of transparent methacrylate	●	●
Boiler and pipes of copper and pipe fittings of brass	●	●
Dual gauges for boiler and pump pressure control	●	●
Manual and automatic water loading	●	●
Boiler tap for manual discharge	●	●
Built-in motor pumps (on demand: external motor pump)	●	●
Touchpad for each group with pilot lights for activated brewing buttons:	●	●
6 volumetric metering selections programmable from the touchpad directly and 1 programming button	●	●
1 electromechanical button for every group for brewing choose (only for 2 groups in the 3 gr. version)	●	●
Indicator to inform the machine and cup-warmer are ON	●	●
Lighted back panel with ON/OFF switch	●	●
Electric cup-warmer	●	●
Visual boiler water gauge	●	●
2 multidirectional stainless steel steam wands with manual control	●	●
1 multidirectional stainless steel hot water wand with automatic control from the touchpad	●	●
Alphanumeric display allowing to plan following functions:	●	●
Switching ON/OFF time of the machine	●	●
Cup warmer working temperature	●	●
Warning of softener regeneration	●	●
Auto Steamer temperature	●	●
to display following data:	●	●
Functional test / malfunctioning notice	●	●
Coffee counting for single group and single metering	●	●
Temperature and working boiler	●	●
Boiler pressure	●	●

OPTIONALS ON DEMAND		
Mixed hot water outlet		●
Outside motor pump		●
Raised groups		●
Cappuccino maker / Milk frothing wand		●
Electronic injection autosteamer with adjustable control of speed and of pump capacity. Wand with directing holes for an elliptical steam brewing		●
Serial interface for external connection		●
Foot pedal for steam wand		●
LED lights on the brewing groups		●
Technical and aesthetic customization (colour options on the website gallery)		●

TECHNICAL DATA		2 gr	3 gr
Power	W	2500 / 3900	5560
Voltage	V	120 - 230 - 240 - 400 (1F-3F) / 50 - 60 Hz	230 - 240 - 400 (1F-3F) / 50 - 60 Hz
Boiler	Lt	12	17
Width	mm	740	980
Depth	mm		600
Height	mm		560
Net weight	Kg	65	96

D.I.D. srl Design Instruments Development

Viale della Repubblica, 243
31100 Treviso - ITALY
Tel. 0039 0422 306700
Fax 0039 0422 307879

D.I.D. srl reserves the right to modify the appliances presented in this publication without notice.

100% made in Italy

www.orchestrale.com



Strumenti per l'Espresso

etnica Display **TT**

AUTOMATIC
2 gr • 3 gr



with optional
black matt sides and
electronic injection autosteamer

With touchpad above the groups and joystick taps, it's the evolution of Etnica Display and so the top of the range too. Always automatic, with covered groups and display, it represents, as Etnica Display, the indivisible bond between modern and ancient, where the future is son of history and the most modern technology matches with sounds and past times.





AUTOMATIC

2 gr • 3 gr

TECHNICAL FEATURES	AUTOMATIC	
	2gr	3gr
Automatic espresso coffee and cappuccino machine with programmable portion control	•	•
E 61 brewing groups	•	•
Frame of pure polished and satined stainless steel AISI 304. Finishing of transparent methacrylate	•	•
Boiler and pipes of copper and pipe fittings of brass	•	•
Dual gauges for boiler and pump pressure control	•	•
Manual and automatic water loading	•	•
Boiler tap for manual discharge	•	•
Built-in motor pumps (on demand: external motor pump)	•	•
Touchpad for each group with pilot lights for activated brewing buttons: 6 volumetric metering selections programmable from the touchpad directly 1 programming button	•	•
1 electromechanical button for every group for brewing choose (only for 2 groups in the 3 gr. version)	•	•
Indicator to inform the machine and cup-warmer are ON	•	•
Lighted back panel with ON/OFF switch	•	•
Electric cup-warmer	•	•
Visual boiler water gauge	•	•
2 multidirectional stainless steel steam wands with joystick tap manual control	•	•
1 multidirectional stainless steel hot water wand with automatic control from the touchpad	•	•
Alphanumeric display allowing to plan following functions: Switching ON/OFF time of the machine Cup warmer working temperature Warning of softener regeneration Auto Steamer temperature	to display following data: Functional test / malfunctioning notice Coffee counting for single group and single metering Temperature and working boiler Boiler pressure	•

OPTIONALS ON DEMAND		
Mixed hot water outlet		•
Outside motor pump		•
Raised groups		•
Cappuccino maker		•
Milk frothing wand		•
Electronic injection autosteamer with adjustable control of speed and of pump capacity. Wand with directing holes for an elliptical steam brewing		•
Serial interface for external connection		•
Foot pedal for steam wand		•
LED lights on the brewing groups		•
Technical and aesthetic customization (colour options on the website gallery)		•

TECHNICAL DATA		2 gr	3 gr
Power	W	2500 / 3900	5560
Voltage	V	120 - 230 - 240 - 400 (1F-3F) / 50 - 60 Hz	230 - 240 - 400 (1F-3F) / 50 - 60 Hz
Boiler	Lt	12	17
Width	mm	740	980
Depth	mm		600
Height	mm		560
Net weight	Kg	65	96